A new generation of high-performance scrubbers

The VIPER AS6690T/AS7690T/AS7190TO walk-behind scrubbers prioritize smart performance, simple design, and user-friendly operation for cleaning medium to large sized facilities.
The AS6690T and AS7690T are both equipped with dual-brush decks for fast, effective cleaning, while the AS7190TO uses an orbital scrub deck for intensive multidirectional floorcare.
Each is an ideal solution for facility-managers and contract cleaners who need impressive results in hard-floor areas, whether they're performing routine cleaning, heavy-duty scrubbing, or floor finish removal (orbital version).

- Eco mode greatly extends battery run time for greater productivity.
- Silent mode allows for cleaning in noise sensitive areas and is ideal for daytime cleaning.
- Finish removal mode icon enables chemical-free floor finish removal (AS7190TO only).
- Traction drive for increased productivity while reducing operator fatigue.
- Designed for quick and convenient tools free daily maintenance requirements.



Picture shown may not represent model quoted

● Standard equipment

Included accessories		Ref. no.	Min. required	AS6690T US 26 IN DISC SCRUBBER	AS7690T US 30 IN DISC SCRUBBER	AS6690T WITH 215 AH WET BATTS
Pad Holder						
	PAD HOLDER WITH RETAINER 13IN 330MM	VF83207	2			●
	PAD HOLDER WITH RETAINER 15IN 381MM	VF84329	2			●
Disc Brush 380 mm						
	BRUSH DISC 3 PPL Ø0.7 BLACK 15IN	VS14326	2		●	
Squeegee Blade						
	BLADE FRONT LINATEX 830MM 33IN	VS14639	1			●
	BLADE REAR LINATEX 830MM 33IN	VS14640	1			●

All information provided in this document is subject to change without prior notice

A new generation of high-performance scrubbers

Included accessories		Ref. no.	Min. required	AS6690T US 26 IN DISC SCRUBBER	AS7690T US 30 IN DISC SCRUBBER	AS6690T WITH 215 AH WET BATTS
	BLADE SQUEEGEE FRONT LINATEX 940MM 37	VR16002L	1		•	
	BLADE SQUEEGEE REAR LINATEX 940MM 37	VR16003L	1			
Splash Guard						
	SKIRT BRISTLE DECK -26 KIT	VS14328	1			•
Other						
	TRAY DEBRIS KIT	VS14744	1			•

• Standard equipment

Included accessories		Ref. no.	Min. required	AS6690T WITH 242 AH WET BATTS	AS6690T WITH 312 AH AGM BATTS	AS7190TO WITH 242 AH WET BATTS
Pad Holder						
	PAD HOLDER WITH RETAINER 13IN 330MM	VF83207	2	•	•	
	PAD HOLDER WITH RETAINER 15IN 381MM	VF84329	2	•	•	
Disc Brush 380 mm						
	BRUSH DISC 3 PPL Ø0.7 BLACK 15IN	VS14326	2			
Squeegee Blade						
	BLADE FRONT LINATEX 830MM 33IN	VS14639	1	•	•	
	BLADE REAR LINATEX 830MM 33IN	VS14640	1	•	•	

All information provided in this document is subject to change without prior notice

A new generation of high-performance scrubbers

Included accessories		Ref. no.	Min. required	AS6690T WITH 242 AH WET BATTS	AS6690T WITH 312 AH AGM BATTS	AS7190TO WITH 242 AH WET BATTS
	BLADE SQUEEGEE FRONT LINATEX 940MM 37	VR16002L	1			
	BLADE SQUEEGEE REAR LINATEX 940MM 37	VR16003L	1			•
Splash Guard						
	SKIRT BRISTLE DECK -26 KIT	VS14328	1	•	•	
Other						
	TRAY DEBRIS KIT	VS14744	1	•	•	•

• Standard equipment

Included accessories		Ref. no.	Min. required	AS7190TO WITH 312 AH AGM BATTS	AS7690T WITH 215 AH WET BATTS	AS7690T WITH 242 AH WET BATTS
Pad Holder						
	PAD HOLDER WITH RETAINER 13IN 330MM	VF83207	2			
	PAD HOLDER WITH RETAINER 15IN 381MM	VF84329	2			
Disc Brush 380 mm						
	BRUSH DISC 3 PPL Ø0.7 BLACK 15IN	VS14326	2			
Squeegee Blade						
	BLADE FRONT LINATEX 830MM 33IN	VS14639	1			
	BLADE REAR LINATEX 830MM 33IN	VS14640	1			

All information provided in this document is subject to change without prior notice

A new generation of high-performance scrubbers

Included accessories		Ref. no.	Min. required	AS7190TO WITH 312 AH AGM BATTS	AS7690T WITH 215 AH WET BATTS	AS7690T WITH 242 AH WET BATTS
	BLADE SQUEEGEE FRONT LINATEX 940MM 37	VR16002L	1			
	BLADE SQUEEGEE REAR LINATEX 940MM 37	VR16003L	1	•	•	•
Splash Guard						
	SKIRT BRISTLE DECK -26 KIT	VS14328	1			
Other						
	TRAY DEBRIS KIT	VS14744	1	•	•	•

• Standard equipment

Included accessories		Ref. no.	Min. required	AS7690T WITH 312 AH AGM BATTS	AS6690T WITH TPPL BATTERIES	AS7190TO WITH TPPL BATTERIES
Pad Holder						
	PAD HOLDER WITH RETAINER 13IN 330MM	VF83207	2			
	PAD HOLDER WITH RETAINER 15IN 381MM	VF84329	2			
Disc Brush 380 mm						
	BRUSH DISC 3 PPL Ø0.7 BLACK 15IN	VS14326	2			
Squeegee Blade						
	BLADE FRONT LINATEX 830MM 33IN	VS14639	1			
	BLADE REAR LINATEX 830MM 33IN	VS14640	1			

All information provided in this document is subject to change without prior notice

A new generation of high-performance scrubbers

Included accessories		Ref. no.	Min. required	AS7690T WITH 312 AH AGM BATTS	AS6690T WITH TPPL BATTERIES	AS7190TO WITH TPPL BATTERIES
	BLADE SQUEEGEE FRONT LINATEX 940MM 37	VR16002L	1			
	BLADE SQUEEGEE REAR LINATEX 940MM 37	VR16003L	1	•		
Splash Guard						
	SKIRT BRISTLE DECK -26 KIT	VS14328	1			
Other						
	TRAY DEBRIS KIT	VS14744	1	•		

• Standard equipment

Included accessories		Ref. no.	Min. required	AS7690T WITH TPPL BATTERIES
Pad Holder				
	PAD HOLDER WITH RETAINER 13IN 330MM	VF83207	2	
	PAD HOLDER WITH RETAINER 15IN 381MM	VF84329	2	
Disc Brush 380 mm				
	BRUSH DISC 3 PPL Ø0.7 BLACK 15IN	VS14326	2	•
Squeegee Blade				
	BLADE FRONT LINATEX 830MM 33IN	VS14639	1	
	BLADE REAR LINATEX 830MM 33IN	VS14640	1	

All information provided in this document is subject to change without prior notice

A new generation of high-performance scrubbers

	Included accessories	Ref. no.	Min. required	AS7690T WITH TPPL BATTERIES
	BLADE SQUEEGEE FRONT LINATEX 940MM 37	VR16002L	1	•
	BLADE SQUEEGEE REAR LINATEX 940MM 37	VR16003L	1	
Splash Guard				
	SKIRT BRISTLE DECK -26 KIT	VS14328	1	
Other				
	TRAY DEBRIS KIT	VS14744	1	

Model	AS6690T US 26 IN DISC SCRUBBER	AS7690T US 30 IN DISC SCRUBBER	AS6690T WITH 215 AH WET BATTS
Ref. no.	50000572	50000573	AS6690T-215
PRODUCT FEATURES			
Adjustable brush pressure	•	•	•
Click on-off brush	•	•	•
Debris tray	•	•	•
Display on machine	•	•	•
Squeezable drain hose with flow control	•	•	•
One-Touch™ Button	•	•	•
Smarclean mode	•	•	•
Traction drive	•	•	•

Model	AS6690T WITH 242 AH WET BATTS	AS6690T WITH 312 AH AGM BATTS	AS7190TO WITH 242 AH WET BATTS
Ref. no.	AS6690T-242	AS6690T-312	AS7190TO-242
PRODUCT FEATURES			
Adjustable brush pressure	•	•	•
Click on-off brush	•	•	
Debris tray	•	•	•
Display on machine	•	•	•
Squeezable drain hose with flow control	•	•	•

All information provided in this document is subject to change without prior notice

A new generation of high-performance scrubbers

Model	AS6690T WITH 242 AH WET BATTS	AS6690T WITH 312 AH AGM BATTS	AS7190TO WITH 242 AH WET BATTS
Ref. no.	AS6690T-242	AS6690T-312	AS7190TO-242
PRODUCT FEATURES			
One-Touch™ Button	•	•	•
Smarclean mode	•	•	•
Traction drive	•	•	•

Model	AS7190TO WITH 312 AH AGM BATTS	AS7690T WITH 215 AH WET BATTS	AS7690T WITH 242 AH WET BATTS
Ref. no.	AS7190TO-312	AS7690T-215	AS7690T-242
PRODUCT FEATURES			
Adjustable brush pressure	•	•	•
Click on-off brush		•	•
Debris tray	•	•	•
Display on machine	•	•	•
Squeezable drain hose with flow control	•	•	•
One-Touch™ Button	•	•	•
Smarclean mode	•	•	•
Traction drive	•	•	•

Model	AS7690T WITH 312 AH AGM BATTS	AS6690T WITH TPPL BATTERIES	AS7190TO WITH TPPL BATTERIES
Ref. no.	AS7690T-312	AS6690T-TPPL	AS7190TO-TPPL
PRODUCT FEATURES			
Adjustable brush pressure	•	•	•
Click on-off brush	•	•	
Debris tray	•	•	
Display on machine	•	•	
Squeezable drain hose with flow control	•	•	•
One-Touch™ Button	•	•	•
Smarclean mode	•	•	•
Traction drive	•	•	•

All information provided in this document is subject to change without prior notice

A new generation of high-performance scrubbers

Model	AS7690T WITH TPPL BATTERIES
Ref. no.	AS7690T-TPPL
PRODUCT FEATURES	
Adjustable brush pressure	•
Click on-off brush	•
Debris tray	•
Display on machine	•
Squeezable drain hose with flow control	•
One-Touch™ Button	•
Smarclean mode	•
Traction drive	•

Technical specifications	AS6690T US 26 IN DISC SCRUBBER	AS7690T US 30 IN DISC SCRUBBER	AS6690T WITH 215 AH WET BATTS
Voltage (V)	24 V	24 V	24
Sound pressure level (dB(A))	69 ± 3 dB (A)	69 ± 3 dB (A)	69 ± 3
Cleaning width (MM)	660 mm / 26 Inches	760 mm / 30 Inches	
Min. aisle turn (cm)	155cm/61 Inches	165 cm/65 Inches	61 Inches
Solution tank (L)	85 L / 22 Gal.	85 L / 22 Gal.	22 Gal.
Recovery tank (L)	90 L / 24 Gal.	90 L / 24 Gal.	24 Gal.
Brush pressure (G/CM²)	32 Kg /71 Lbs 41 Kg /90 Lbs 49 Kg /108 Lbs	35 Kg /77 Lbs 43 Kg /95 Lbs 51 Kg /112 Lbs	71 Lbs / 90 Lbs / 108 Lbs
Gross weight (GVW) (KG)	347 Kg / 765 Lbs.	350 Kg / 772 Lbs.	765 Lbs.
Shipping weight (KG)	202 Kg / 444 Lbs.	205 Kg / 451 Lbs.	444 Lbs.
Length	1490 mm/59 Inches	1550mm/61 Inches	58.7 Inches
Height	1020 mm / 40 Inches	1020 mm / 40 Inches	40.2 Inches
Pad/Brush Size	330 mm x 2 / 13 Inches x 2	380mm x 2 / 15 Inches x 2	13 Inches x 2
Solution flow	(0.9/1.5/2.2/3) Liters (0.24/0.39/0.58/0.79) Gallons	(0.9/1.5/2.2/3) Liters (0.24/0.39/0.58/0.79) Gallons	(0.24/0.39/0.58/0.79) Gal.
Battery compartment size (L x W x H)	(620 x 385 x 390) mm / 24.4 x 15.1 x 15.3 Inches	(620 x 385 x 390) mm / 24.4 x 15.1 x 15.3 Inches	21 x 15.1 x 15.3 Inches
Sound level - silent mode	65 ± 3 dB (A)	65 ± 3 dB (A)	65 ± 3
Machine speed	0 - 4.0 Km / 0 – 2.5 Miles per hour	0 - 4.0 Km / 0 – 2.5 Miles per hour	0 – 2.5 Miles per hour
Cleaning productivity (max.)	2640 m2/h	3040 m2/h	2640 m2/h
Width without squeeegee	730 mm/29 Inches	830mm/33 Inches	28.7 Inches
Width with squeegee	830 mm/33 Inches	950 mm/38 Inches	32.6 Inches

All information provided in this document is subject to change without prior notice

A new generation of high-performance scrubbers

Technical specifications	AS6690T US 26 IN DISC SCRUBBER	AS7690T US 30 IN DISC SCRUBBER	AS6690T WITH 215 AH WET BATTS
Packaging dimensions	(1620 x 810 x 1200 mm) / (64 x 32 x 48 Inches)	(1660 x 910 x 1200 mm) / (66 x 36 x 48 Inches)	64 x 32 x 48 Inches

Technical specifications	AS6690T WITH 242 AH WET BATTS	AS6690T WITH 312 AH AGM BATTS	AS7190TO WITH 242 AH WET BATTS
Voltage (V)	24	24	24
Sound pressure level (dB(A))	69 ± 3	69 ± 3	69 ± 3
Cleaning width (MM)			
Min. aisle turn (cm)	61 Inches	61 Inches	63 Inches
Solution tank (L)	22 Gal.	23 Gal.	22 Gal.
Recovery tank (L)	24 Gal.	24 Gal.	24 Gal.
Brush pressure (G/CM²)	71 Lbs / 90 Lbs / 108 Lbs	71 Lbs / 90 Lbs / 108 Lbs	93 Lbs / 120 Lbs / 143 Lbs
Gross weight (GVW) (KG)	765 Lbs.	765 Lbs.	794 Lbs.
Shipping weight (KG)	444 Lbs.	444 Lbs.	473 Lbs.
Length	58.7 Inches	58.7 Inches	58.7 Inches
Height	40.2 Inches	40.2 Inches	40.2 Inches
Pad/Brush Size	13 Inches x 2	13 Inches x 2	14x28 Inches
Solution flow	(0.24/0.39/0.58/0.79) Gal.	(0.24/0.39/0.58/0.79) Gal.	(0.16/0.29/0.5/0.66) Gal.
Battery compartment size (L x W x H)	21 x 15.1 x 15.3 Inches	24.4 x 15.1 x 15.3 Inches	21 x 15.1 x 15.3 Inches
Sound level - silent mode	65 ± 3	65 ± 3	65 ± 3
Machine speed	0 – 2.5 Miles per hour	0 – 2.5 Miles per hour	0 – 2.0 Miles per hour
Cleaning productivity (max.)	2640 m2/h	2640 m2/h	2272 m2/h
Width without squeeegee	28.7 Inches	28.7 Inches	29.5 Inches
Width with squeegee	32.6 Inches	32.6 Inches	37.4 Inches
Packaging dimensions	64 x 32 x 48 Inches	64 x 32 x 48 Inches	66 x 36 x 48 Inches

Technical specifications	AS7190TO WITH 312 AH AGM BATTS	AS7690T WITH 215 AH WET BATTS	AS7690T WITH 242 AH WET BATTS
Voltage (V)	24	24	24
Sound pressure level (dB(A))	69 ± 3	69 ± 3	69 ± 3
Cleaning width (MM)			
Min. aisle turn (cm)	63 Inches	65 Inches	65 Inches
Solution tank (L)	22 Gal.	22 Gal.	22 Gal.
Recovery tank (L)	24 Gal.	24 Gal.	24 Gal.
Brush pressure (G/CM²)	93 Lbs / 120 Lbs / 143 Lbs	77 Lbs / 95 Lbs / 112 Lbs	77 Lbs / 95 Lbs / 112 Lbs
Gross weight (GVW) (KG)	794 Lbs.	772 Lbs.	772 Lbs.

All information provided in this document is subject to change without prior notice

A new generation of high-performance scrubbers

Technical specifications	AS7190TO WITH 312 AH AGM BATTS	AS7690T WITH 215 AH WET BATTS	AS7690T WITH 242 AH WET BATTS
Shipping weight (KG)	473 Lbs.	451 Lbs.	451 Lbs.
Length	58.7 Inches	61 Inches	61 Inches
Height	40.2 Inches	40.2 Inches	40.2 Inches
Pad/Brush Size	14x28 Inches	15 Inches x 2	15 Inches x 2
Solution flow	(0.16/0.29/0.5/0.66) Gal.	(0.24/0.39/0.58/0.79) Gal.	(0.24/0.39/0.58/0.79) Gal.
Battery compartment size (L x W x H)	24.4 x 15.1 x 15.3 Inches	21 x 15.1 x 15.3 Inches	21 x 15.1 x 15.3 Inches
Sound level - silent mode	65 ± 3	65 ± 3	65 ± 3
Machine speed	0 – 2.0 Miles per hour	0 – 2.5 Miles per hour	0 – 2.5 Miles per hour
Cleaning productivity (max.)	2272 m2/h	3040 m2/h	3040 m2/h
Width without squeeegee	29.5 Inches	32.7 Inches	32.7 Inches
Width with squeegee	37.4 Inches	37.4 Inches	37.4 Inches
Packaging dimensions	66 x 36 x 48 Inches	66 x 36 x 48 Inches	66 x 36 x 48 Inches

Technical specifications	AS7690T WITH 312 AH AGM BATTS	AS6690T WITH TPPL BATTERIES	AS7190TO WITH TPPL BATTERIES
Voltage (V)	24	24 V	24 V
Sound pressure level (dB(A))	69 ± 3	69 ± 3 dB (A)	69 ± 3 dB (A)
Cleaning width (MM)		26 Inches	710 mm / 28 Inches
Min. aisle turn (cm)	65 Inches	155cm/61 Inches	160 cm/63 Inches
Solution tank (L)	22 Gal.	22 Gal.	85 L / 22 Gal.
Recovery tank (L)	24 Gal.	24 Gal.	90 L / 24 Gal.
Brush pressure (G/CM²)	77 Lbs / 95 Lbs / 112 Lbs	71 Lbs / 90 Lbs /108 Lbs	42 Kg / 93 Lbs 54 Kg / 120 Lbs 65 Kg / 143 Lbs
Gross weight (GVW) (KG)	772 Lbs.	765 Lbs.	360 Kg / 794 Lbs.
Shipping weight (KG)	451 Lbs.	444 Lbs.	215 Kg / 473 Lbs.
Length	61 Inches	59 Inches	1490 mm/59 Inches
Height	40.2 Inches	40 Inches	1020 mm / 40 Inches
Pad/Brush Size	15 Inches x 2	13 Inches x 2	355710 mm / 14x28 Inches
Solution flow	(0.24/0.39/0.58/0.79) Gal.	(0.24/0.39/0.58/0.79) Gallons	(0.6/1.1/1.9/2.5) Liters (0.16/0.29/0.5/0.66) Gallons
Battery compartment size (L x W x H)	24.4 x 15.1 x 15.3 Inches	24.4 x 15.1 x 15.3 Inches	(620 x 385 x 390) mm / 24.4 x 15.1 x 15.3 Inches
Sound level - silent mode	65 ± 3	65 ± 3 dB (A)	65 ± 3 dB (A)
Machine speed	0 – 2.5 Miles per hour	0 – 2.5 Miles per hour	0 – 3.2 Km / 0 – 2.0 Miles per hour
Cleaning productivity (max.)	3040 m2/h	2640 m2/h	2272 m2/h

All information provided in this document is subject to change without prior notice

A new generation of high-performance scrubbers

Technical specifications	AS7690T WITH 312 AH AGM BATTS	AS6690T WITH TPPL BATTERIES	AS7190TO WITH TPPL BATTERIES
Width without squeeegee	32.7 Inches	29 Inches	750mm/30 Inches
Width with squeegee	37.4 Inches	33 Inches	950 mm/38 Inches
Packaging dimensions	66 x 36 x 48 Inches	64 x 32 x 48 Inches)	(1660 x 910 x 1200 mm) / (66 x 36 x 48 Inches)

Technical specifications	AS7690T WITH TPPL BATTERIES
Voltage (V)	24 V
Sound pressure level (dB(A))	69 ± 3 dB (A)
Cleaning width (MM)	760 mm / 30 Inches
Min. aisle turn (cm)	165 cm/65 Inches
Solution tank (L)	85 L / 22 Gal.
Recovery tank (L)	90 L / 24 Gal.
Brush pressure (G/CM²)	35 Kg /77 Lbs 43 Kg /95 Lbs 51 Kg /112 Lbs
Gross weight (GVW) (KG)	350 Kg / 772 Lbs.
Shipping weight (KG)	205 Kg / 451 Lbs.
Length	1550mm/61 Inches
Height	1020 mm / 40 Inches
Pad/Brush Size	380mm x 2 / 15 Inches x 2
Solution flow	(0.9/1.5/2.2/3) Liters (0.24/0.39/0.58/0.79) Gallons
Battery compartment size (L x W x H)	(620 x 385 x 390) mm / 24.4 x 15.1 x 15.3 Inches
Sound level - silent mode	65 ± 3 dB (A)
Machine speed	0 - 4.0 Km / 0 – 2.5 Miles per hour
Cleaning productivity (max.)	3040 m2/h
Width without squeeegee	830mm/33 Inches
Width with squeegee	950 mm/38 Inches
Packaging dimensions	(1660 x 910 x 1200 mm) / (66 x 36 x 48 Inches)

All information provided in this document is subject to change without prior notice


A new generation of high-performance scrubbers

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

	Accessories	Ref. no.	Min. required	AS6690T US 26 IN DISC SCRUBBER	AS7690T US 30 IN DISC SCRUBBER	AS6690T WITH 215 AH WET BATTS
Disc Brush 330 mm						
	BRUSH DISC 330MM 13 PPL	VF83127	2			○
	BRUSH DISC GRIT 180 GRAY 13IN	VS14333	2			○
Pad Holder						
	PAD HOLDER WITH RETAINER 13IN 330MM	VF83207	2			●
	PAD HOLDER WITH RETAINER 15IN 381MM	VF84329	2			●
Squeegee Blade						
	BLADE FRONT LINATEX 830MM 33IN	VS14639	1			●
	BLADE FRONT PU 830MM 33IN	VS14632	1			○
	BLADE FRONT RUBBER 830MM 33IN	VS14637	1			○
	BLADE FRONT RUBBER 940MM 37IN	VS14635	1			
	BLADE REAR LINATEX 830MM 33IN	VS14640	1			●
	BLADE REAR PU 830MM 33IN	VS14633	1			○

All information provided in this document is subject to change without prior notice

A new generation of high-performance scrubbers


Accessories		Ref. no.	Min. required	AS6690T US 26 IN DISC SCRUBBER	AS7690T US 30 IN DISC SCRUBBER	AS6690T WITH 215 AH WET BATTS
	BLADE REAR RUBBER 830MM 33IN	VS14638	1			○
	BLADE REAR RUBBER 940MM 37IN	VS14636	1			
	BLADE SQUEEGEE FRONT LINATEX 940MM 37	VR16002L	1		•	
	BLADE SQUEEGEE FRONT PU 940MM 37	VR16002	1			
	BLADE SQUEEGEE REAR LINATEX 940MM 37	VR16003L	1			
	BLADE SQUEEGEE REAR PU 940MM 37	VR16003	1			
Other						
	TRAY DEBRIS KIT	VS14744	1			•
Splash Guard						
	SKIRT BRISTLE DECK -26 KIT	VS14328	1			•
Disc Brush 380 mm						
	BRUSH DISC 3 PPL Ø0.7 BLACK 15IN	VS14326	2		•	
	BRUSH DISC GRIT 180 GRAY 15IN	VS14332	2			○
On-Board Charger						
	CHARGER ON-BOARD KIT 25A US	VS14717	1	□	□	
Battery						

All information provided in this document is subject to change without prior notice

A new generation of high-performance scrubbers

Accessories		Ref. no.	Min. required	AS6690T US 26 IN DISC SCRUBBER	AS7690T US 30 IN DISC SCRUBBER	AS6690T WITH 215 AH WET BATTS
	BATT. 6V-180AH GEL MONOBLOC	80564000	4	□	□	
Pad Boost						
	PAD-RED-14X28-5/CS	997001	0			
Special Pad						
	PAD-MAROON SPP PLUS-14X28-5/CS	56394155	1			
Battery and Charger						
	BATTERY-12V-128AH-TPPL	56394473	0			
	CHARGER-SHELF 24V-50A-NEXSYS	56394472	0			
Battery Gel						
	BATTERY 6V 180AH GEL MONOBLOC	9100004023	0	□	□	

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	AS6690T WITH 242 AH WET BATTS	AS6690T WITH 312 AH AGM BATTS	AS7190TO WITH 242 AH WET BATTS
Disc Brush 330 mm						
	BRUSH DISC 330MM 13 PPL	VF83127	2	○	○	
	BRUSH DISC GRIT 180 GRAY 13IN	VS14333	2	○	○	
Pad Holder						
	PAD HOLDER WITH RETAINER 13IN 330MM	VF83207	2	●	●	
	PAD HOLDER WITH RETAINER 15IN 381MM	VF84329	2	●	●	
Squeegee Blade						

All information provided in this document is subject to change without prior notice

A new generation of high-performance scrubbers

Accessories		Ref. no.	Min. required	AS6690T WITH 242 AH WET BATTS	AS6690T WITH 312 AH AGM BATTS	AS7190TO WITH 242 AH WET BATTS
	BLADE FRONT LINATEX 830MM 33IN	VS14639	1	•	•	
	BLADE FRONT PU 830MM 33IN	VS14632	1	○	○	
	BLADE FRONT RUBBER 830MM 33IN	VS14637	1	○	○	
	BLADE FRONT RUBBER 940MM 37IN	VS14635	1			○
	BLADE REAR LINATEX 830MM 33IN	VS14640	1	•	•	
	BLADE REAR PU 830MM 33IN	VS14633	1	○	○	
	BLADE REAR RUBBER 830MM 33IN	VS14638	1	○	○	
	BLADE REAR RUBBER 940MM 37IN	VS14636	1			○
	BLADE SQUEEGEE FRONT LINATEX 940MM 37	VR16002L	1			
	BLADE SQUEEGEE FRONT PU 940MM 37	VR16002	1			○
	BLADE SQUEEGEE REAR LINATEX 940MM 37	VR16003L	1			•
	BLADE SQUEEGEE REAR PU 940MM 37	VR16003	1			○

All information provided in this document is subject to change without prior notice


A new generation of high-performance scrubbers

Accessories		Ref. no.	Min. required	AS6690T WITH 242 AH WET BATTS	AS6690T WITH 312 AH AGM BATTS	AS7190TO WITH 242 AH WET BATTS
Other						
	TRAY DEBRIS KIT	VS14744	1	•	•	•
Splash Guard						
	SKIRT BRISTLE DECK -26 KIT	VS14328	1	•	•	
Disc Brush 380 mm						
	BRUSH DISC 3 PPL Ø0.7 BLACK 15IN	VS14326	2			
	BRUSH DISC GRIT 180 GRAY 15IN	VS14332	2	○	○	
On-Board Charger						
	CHARGER ON-BOARD KIT 25A US	VS14717	1			
Battery						
	BATT. 6V-180AH GEL MONOBLOC	80564000	4			
Pad Boost						
	PAD-RED-14X28-5/CS	997001	0			
Special Pad						
	PAD-MAROON SPP PLUS-14X28-5/CS	56394155	1			
Battery and Charger						
	BATTERY-12V-128AH-TPPL	56394473	0			
	CHARGER-SHELF 24V-50A-NEXSYS	56394472	0			
Battery Gel						
	BATTERY 6V 180AH GEL MONOBLOC	9100004023	0			

All information provided in this document is subject to change without prior notice


A new generation of high-performance scrubbers

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

	Accessories	Ref. no.	Min. required	AS7190TO WITH 312 AH AGM BATTS	AS7690T WITH 215 AH WET BATTS	AS7690T WITH 242 AH WET BATTS
Disc Brush 330 mm						
	BRUSH DISC 330MM 13 PPL	VF83127	2		○	○
	BRUSH DISC GRIT 180 GRAY 13IN	VS14333	2		○	○
Pad Holder						
	PAD HOLDER WITH RETAINER 13IN 330MM	VF83207	2		○	○
	PAD HOLDER WITH RETAINER 15IN 381MM	VF84329	2		○	○
Squeegee Blade						
	BLADE FRONT LINATEX 830MM 33IN	VS14639	1			
	BLADE FRONT PU 830MM 33IN	VS14632	1			
	BLADE FRONT RUBBER 830MM 33IN	VS14637	1			
	BLADE FRONT RUBBER 940MM 37IN	VS14635	1	○	○	○
	BLADE REAR LINATEX 830MM 33IN	VS14640	1			
	BLADE REAR PU 830MM 33IN	VS14633	1			

All information provided in this document is subject to change without prior notice

A new generation of high-performance scrubbers


Accessories		Ref. no.	Min. required	AS7190TO WITH 312 AH AGM BATTS	AS7690T WITH 215 AH WET BATTS	AS7690T WITH 242 AH WET BATTS
	BLADE REAR RUBBER 830MM 33IN	VS14638	1			
	BLADE REAR RUBBER 940MM 37IN	VS14636	1	○	○	○
	BLADE SQUEEGEE FRONT LINATEX 940MM 37	VR16002L	1			
	BLADE SQUEEGEE FRONT PU 940MM 37	VR16002	1	○	○	○
	BLADE SQUEEGEE REAR LINATEX 940MM 37	VR16003L	1	•	•	•
	BLADE SQUEEGEE REAR PU 940MM 37	VR16003	1	○	○	○
Other						
	TRAY DEBRIS KIT	VS14744	1	•	•	•
Splash Guard						
	SKIRT BRISTLE DECK -26 KIT	VS14328	1			
Disc Brush 380 mm						
	BRUSH DISC 3 PPL Ø0.7 BLACK 15IN	VS14326	2			
	BRUSH DISC GRIT 180 GRAY 15IN	VS14332	2		○	○
On-Board Charger						
	CHARGER ON-BOARD KIT 25A US	VS14717	1			
Battery						

All information provided in this document is subject to change without prior notice

A new generation of high-performance scrubbers

Accessories		Ref. no.	Min. required	AS7190TO WITH 312 AH AGM BATTS	AS7690T WITH 215 AH WET BATTS	AS7690T WITH 242 AH WET BATTS
	BATT. 6V-180AH GEL MONOBLOC	80564000	4			
Pad Boost						
	PAD-RED-14X28-5/CS	997001	0			
Special Pad						
	PAD-MAROON SPP PLUS-14X28-5/CS	56394155	1			
Battery and Charger						
	BATTERY-12V-128AH-TPPL	56394473	0			
	CHARGER-SHELF 24V-50A-NEXSYS	56394472	0			
Battery Gel						
	BATTERY 6V 180AH GEL MONOBLOC	9100004023	0			

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	AS7690T WITH 312 AH AGM BATTS	AS6690T WITH TPPL BATTERIES	AS7190TO WITH TPPL BATTERIES
Disc Brush 330 mm						
	BRUSH DISC 330MM 13 PPL	VF83127	2	○		
	BRUSH DISC GRIT 180 GRAY 13IN	VS14333	2	○		
Pad Holder						
	PAD HOLDER WITH RETAINER 13IN 330MM	VF83207	2	○		
	PAD HOLDER WITH RETAINER 15IN 381MM	VF84329	2	○		
Squeegee Blade						

All information provided in this document is subject to change without prior notice

A new generation of high-performance scrubbers

Accessories		Ref. no.	Min. required	AS7690T WITH 312 AH AGM BATTS	AS6690T WITH TPPL BATTERIES	AS7190TO WITH TPPL BATTERIES
	BLADE FRONT LINATEX 830MM 33IN	VS14639	1			
	BLADE FRONT PU 830MM 33IN	VS14632	1			
	BLADE FRONT RUBBER 830MM 33IN	VS14637	1			
	BLADE FRONT RUBBER 940MM 37IN	VS14635	1	○		
	BLADE REAR LINATEX 830MM 33IN	VS14640	1			
	BLADE REAR PU 830MM 33IN	VS14633	1			
	BLADE REAR RUBBER 830MM 33IN	VS14638	1			
	BLADE REAR RUBBER 940MM 37IN	VS14636	1	○		
	BLADE SQUEEGEE FRONT LINATEX 940MM 37	VR16002L	1			○
	BLADE SQUEEGEE FRONT PU 940MM 37	VR16002	1	○		
	BLADE SQUEEGEE REAR LINATEX 940MM 37	VR16003L	1	•		
	BLADE SQUEEGEE REAR PU 940MM 37	VR16003	1	○		

All information provided in this document is subject to change without prior notice


A new generation of high-performance scrubbers

Accessories		Ref. no.	Min. required	AS7690T WITH 312 AH AGM BATTS	AS6690T WITH TPPL BATTERIES	AS7190TO WITH TPPL BATTERIES
Other						
	TRAY DEBRIS KIT	VS14744	1	•		
Splash Guard						
	SKIRT BRISTLE DECK -26 KIT	VS14328	1			
Disc Brush 380 mm						
	BRUSH DISC 3 PPL Ø0.7 BLACK 15IN	VS14326	2			
	BRUSH DISC GRIT 180 GRAY 15IN	VS14332	2	○		
On-Board Charger						
	CHARGER ON-BOARD KIT 25A US	VS14717	1		□	□
Battery						
	BATT. 6V-180AH GEL MONOBLOC	80564000	4			
Pad Boost						
	PAD-RED-14X28-5/CS	997001	0			○
Special Pad						
	PAD-MAROON SPP PLUS-14X28-5/CS	56394155	1			○
Battery and Charger						
	BATTERY-12V-128AH-TPPL	56394473	0		□	□
	CHARGER-SHELF 24V-50A-NEXSYS	56394472	0		□	□
Battery Gel						
	BATTERY 6V 180AH GEL MONOBLOC	9100004023	0			

All information provided in this document is subject to change without prior notice


A new generation of high-performance scrubbers

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

	Accessories	Ref. no.	Min. required	AS7690T WITH TPPL BATTERIES
Disc Brush 330 mm				
	BRUSH DISC 330MM 13 PPL	VF83127	2	
	BRUSH DISC GRIT 180 GRAY 13IN	VS14333	2	
Pad Holder				
	PAD HOLDER WITH RETAINER 13IN 330MM	VF83207	2	
	PAD HOLDER WITH RETAINER 15IN 381MM	VF84329	2	
Squeegee Blade				
	BLADE FRONT LINATEX 830MM 33IN	VS14639	1	
	BLADE FRONT PU 830MM 33IN	VS14632	1	
	BLADE FRONT RUBBER 830MM 33IN	VS14637	1	
	BLADE FRONT RUBBER 940MM 37IN	VS14635	1	
	BLADE REAR LINATEX 830MM 33IN	VS14640	1	
	BLADE REAR PU 830MM 33IN	VS14633	1	

All information provided in this document is subject to change without prior notice

A new generation of high-performance scrubbers

	Accessories	Ref. no.	Min. required	AS7690T WITH TPPL BATTERIES
	BLADE REAR RUBBER 830MM 33IN	VS14638	1	
	BLADE REAR RUBBER 940MM 37IN	VS14636	1	
	BLADE SQUEEGEE FRONT LINATEX 940MM 37	VR16002L	1	•
	BLADE SQUEEGEE FRONT PU 940MM 37	VR16002	1	
	BLADE SQUEEGEE REAR LINATEX 940MM 37	VR16003L	1	
	BLADE SQUEEGEE REAR PU 940MM 37	VR16003	1	
Other				
	TRAY DEBRIS KIT	VS14744	1	
Splash Guard				
	SKIRT BRISTLE DECK -26 KIT	VS14328	1	
Disc Brush 380 mm				
	BRUSH DISC 3 PPL Ø0.7 BLACK 15IN	VS14326	2	•
	BRUSH DISC GRIT 180 GRAY 15IN	VS14332	2	
On-Board Charger				
	CHARGER ON-BOARD KIT 25A US	VS14717	1	□
Battery				

All information provided in this document is subject to change without prior notice

A new generation of high-performance scrubbers

	Accessories	Ref. no.	Min. required	AS7690T WITH TPPL BATTERIES
	BATT. 6V-180AH GEL MONOBLOC	80564000	4	
Pad Boost				
	PAD-RED-14X28-5/CS	997001	0	
Special Pad				
	PAD-MAROON SPP PLUS-14X28-5/CS	56394155	1	
Battery and Charger				
	BATTERY-12V-128AH-TPPL	56394473	0	□
	CHARGER-SHELF 24V-50A-NEXSYS	56394472	0	□
Battery Gel				
	BATTERY 6V 180AH GEL MONOBLOC	9100004023	0	

All information provided in this document is subject to change without prior notice